Material Safety Data Sheet

Date prepared: 21/11/2002

Date revised: No 4

AQUALLUSION EPOXY HARDENER



ABL (STEVENS) Resin & Glass Unit 4, Millbuck Way, Springvale Industrial Estate, Sandbach, Cheshire, CW11 3HT Tel/Fax: 01270 766685

1. Identification of the product and the company.

Substance or preparation trade name: AQUALLUSION EPOXY HARDENER Unique reference numbers(s): Company/undertaking name & address: As above

Telephone: 01270 766685 Emergency telephone number:

2. Information on ingredients Substance Name Value CAS No

Substance Name	Value	CAS No	Symbol R-Phrases
Polyoxyalkyleneamine 21/22-34-37	ca 95%		С

3. Hazards Identification

Risk phrases:	Corrosive to eyes, respiratory system and skin.
Environmental hazard:	
Primary route of exposure:	Vapours inhalation, skin and eye contact.
Symptoms relating to use:	
 Inhalation 	Sore throat, cough, severe inhalation hazard.
 Skin contact 	redness, pain, causes burns.
• Eye contact	Redness, pain, blurred vision, risk of serious damage to eyes.
 Ingestion 	severe ingestion hazard, sore throat, burning sensation, abdominal pain.

4. First aid measures

Inhalation:	Assure fresh air breathing. Allow victim to rest, seek medical advice.
Skin contact:	Remove contaminated clothing and shoes, flush with plenty of water, seek medical advice.
Eye contact:	Rinse immediately with plenty of water. Contact ophthalmologist immediately.
Ingestion:	Rinse mouth. Do not induce vomiting because of corrosive effects, obtain emergency medical

attention.

General information: In all cases seek medical attention.

5. Fire fighting measures

Flammable class: Suitable extinguishing media: Not combustible. water fog, powder, alcohol resistant foam.

Material Safety Data Sheet

Date prepared: 21/11/2002

Date revised: No 4

equipment	Surrounding fires: Protection against fire: Special procedures:	Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protection. Respiratory protection may be necessary. Exercise caution when fighting any chemical fire.
6.	Accidental releas	e measures
	Personal precautions:	Spill should be handled by trained personnel properly equipped with respiratory and eye protection.
	Environmental precautions:	Notify authorities if liquid enters sewers or public waters. Prevent entry to sewers and public waters.
	Methods for cleaning:	Clean up any spills as soon as possible, using an absorbent material to collect it, use suitable disposable containers
7.	Handling and sto	rage
	Precautions in handling and st	orage: avoid all unnecessary exposure.
	Storage:	provide local exhaust or general room ventilation to minimize dust and/or vapour concentrations. Where exposure through inhalation may occur from use, approved repiratory equipment is recommended. Keep container closed when not in use. Do not store in corrodible metal.
	Storage away from: Handling:	Acids Handle in accordance with good industrial hygiene and safety procedures. Ensure prompt removal from skin eyes and clothing. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.
8.	Exposure Contro	Is / Personal protection

Personal protection: Respiratory protection:

Respiratory protection:	Approved dust or mist respirator should be used if airbourne particles are generated when handling this material.
II	Wear suitable chemical resistant gloves
Hand protection:	wear suitable chemical resistant groves
Skin protection:	Suitable protective clothing.
Eye protection:	Chemical goggles or Safety glasses
Ingestion:	When using, do not eat drink or smoke.
Industrial hygiene:	Local exhaust and general ventilation must be adequate to meet exposure standards. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

9. Physical and chemical properties

Appearance:	Liquid
Colour:	Colourless
Odour:	Amonia
pH value:	11.6
Viscosity:	72 mPa.s
Solubility in water:	Material partially soluble in water.
Flash point (°C):	>196

10. Stability and reactivity

Hazardous decomposition products: Hazardous reactions: Carbon dioxide, carbon monoxide, nitrogen oxides. Acids

11. Toxicological information

Rat oral LD50 (mg/kg)	220
Rabbit dermal LD50 (mg/kg)	562
Rat inhalation (mg/kg)	No data
Rat inhalation LC50 (mg/l/4h)	No data

Material Safety Data Sheet

Date prepared: 21/11/2002

Date revised: No 4

12. Ecological information

Ecological effects information: LC50-96 Hour-fish (mg/l) 48 hour-EC50-Daphnia magna (mg/l) No data 120 No data

13 Disposal Considerations

Disposal:

Dispose of this material and its container at hazardous or special waste collection point. Dispose in a safe manner in accordance with local/national regulations.

14. Transport information

Hazard labels: Shipping name: UN No: HI No: ADR/RID Corrosive, Toxic UN2922 LIQUIDE CORRISIF, TOXIQUE, N.S.A. 8 (6.1). 111 2922 86 Group 111 Class 8

15. Regulatory information

Corrosive
Dangerous to the environment.
R21/22 harmful in contact with skin and if swallowed.
R34- causes burns.
R37- Irritating to respiratory system.
R43 May cause sensitization by skin contact.
S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S28- After contact with skin, wash immediately with plenty of water.
S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.
S45 In case of accident or if you feel unwell, seek medical advice immediately show label when possible.

16. Other Information

Recommendations/restrictions:

The contents and format of this MSDS are in accordance with EEC Commission Directive 2001/58/EC.

None

DISCLAIMER OF LIABILITY The information in this MSDS was obtained from sources which we believe are reliable, However the information is provided without any warranty. Express or implied, regarding its correctness. The conditions or methods of handling. Storage, use or disposal of the [product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, Storage, Use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be acceptable.