# **Material Safety Data Sheet**

Date prepared: 18/06/2003

Date revised: No 1

# AQUALLUSION EPOXY RESIN



ABL (STEVENS) Resin & Glass Unit 4, Millbuck Way, Springvale Industrial Estate, Sandbach, Cheshire, CW11 3HT Tel/Fax: 01270 766685

# 1. Identification of the product and the company.

Substance or preparation trade name: Trade name: Company/undertaking name & address: Type of product: AQUALLUSION EPOXY RESIN ACR As above

Telephone: 01270 766685 Emergency telephone number:

# 2. Information on ingredients

Substance Name	Value	CAS No	Symbo	ol R-Phrases
C13/C15-Alkylglycidylether	>10%	068081-84-5	Xi,N	36/38-43-51/53
Reaction product. Bisphenol A Epichlorhydrin, epoxy resin Number average molecular weight <=700	<95%	025068-38-6/500-033-5/603-074-00-8	X,N	36/38-43-51/53

polymer

# 3. Hazards Identification

Risk phrases: Environmental hazard:	Irritating to eyes and skin. May cause sensitization by skin contact Toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment.
Primary route of exposure: Symptoms relating to use:	Skin contact
• Inhalation	None
• Skin contact	Initial moderate skin irritation. Prolonged or repeated skin contact with the material will remove natural oils which leads to a dermatitis.
• Eye contact	Contact with eyes is likely to be irritating.
• Ingestion	Abdominal pain, nausea.

#### 4. First aid measures

Inhalation:	Assure fresh air breathing
Skin contact:	wash skin thoroughly with mild soap and water, seek medical attention if irritation develops.
Eye contact:	Rinse immediately with plenty of water.

# **Material Safety Data Sheet**

### Date prepared: 18/06/2003

### Date revised: No 1

Ingestion:

Do not induce vomiting. If swallowed seek medical advise immediately and show container label

#### 5. Fire fighting measures

Suitable extinguishing media: Surrounding fires:	Foam. Dry chemical. Carbon dioxide Use water spray or fog for cooling exposed containers.
Protection against fire:	Do not enter fire area without proper protection. Respiratory protection
equipment	may be necessary.
Special procedures:	Exercise caution when fighting any chemical fire Aviod (reject) fire fighting water
to	enter environment.

#### 6. Accidental release measures

Personal precautions:Equip cleanup crew with proper protection. Respiratory protection equipment may be necessaryEnvironmental precautions:Prevent entry to sewers and public waters.Methods for cleaning:Clean up any spills as soon as possible, using an absorbent material to collect it, use suitable<br/>disposable containers

# 7. Handling and storage

Precautions in handling and storage:	Both local exhaust and general room ventilation are usually required.
Storage:	Store in dry well ventilated areas.
Handling:	Handle in accordance with good industrial hygiene and safety procedures. Ensure
rivitaring.	prompt removal from skin eyes and clothing. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.

# 8. Exposure Controls / Personal protection

Personal protection: Respiratory protection:

Skin protection:

Eye protection: Ingestion: No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. Gloves Safety glasses When using, do not eat drink or smoke.

# 9. Physical and chemical properties

Appearance:	Liquid
Colour:	Clear
Odour:	Mild
Density:	1.10
Vapour pressure (hPa):	No data
Vapour pressure mm/hg:	No data
Viscosity:	<1200 mPa.s
Solubility in water:	Material nearly insoluble in water.
Flash point (°C):	>100

# 10. Stability and reactivity

Hazardous reactions:

Reacts with strong oxidizing agents. Bases

# 11. Toxicological information

# **Material Safety Data Sheet**

Date prepared: 18/06/2003

#### Date revised: No 1

Rat oral LD50 (mg/kg)	No data
Rabbit dermal LD50 (mg/kg)	No data
Rat inhalation (mg/kg)	No data
Rat inhalation LC50 (mg/l/4h)	No data

#### 12. Ecological information

Ecological effects information:

LC50-96 Hour-fish (mg/l) 48 hour-EC50-Daphnia magna (mg/l) Toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment. No data No data

#### **13 Disposal Considerations**

Disposal:

Avoid release to the environment. Dispose of this material and its container at hazardous or special waste collection point. Despose in a safe manner in accordance with local/national regulations.

# 14. Transport information

Shipping name:	UN3082 MATIERE DANGEREUSE DU POINT DE VUE DE L'ENVIORONNEMENT LIQUIDE, N.S.A.9.111
UN No:	3082
HI No:	90
ADR/RID	Group 111
	Class 9

#### 15. Regulatory information

Symbols:	Irritant
	Dangerous to the environment.
R Phrases:	R36/38- Irritating to eyes and skin.
	R43 May cause sensitization by skin contact.
	R51/53- Toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment.
S Phrases:	S24- Avoid contact with skin
	S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	S37- Wear suitable gloves.
	S59- Refer to manufacturer supplier for information on recovery/recycling.

#### **16. Other Information**

Recommendations/restrictions: None The contents and format of this MSDS are in accordance with EEC Commission Directive 2001/58/EC.

DISCLAIMER OF LIABILITY The information in this MSDS was obtained from sources which we believe are reliable, However the information is provided without any warranty. Express or implied, regarding its correctness. The conditions or methods of handling. Storage, use or disposal of the [product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, Storage, Use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be acceptable.