

Multi-Purpose Epoxy Hardener

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Issue date: 02/12/2020

Version: 4.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : CEL Epoxy Hardener
Type of product : Hardener (Crosslinker)

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Industrial use
Industrial/Professional use spec : Intended for general public
Industrial
Use of the substance/mixture : Laminating hardener, casting, injection, winding, infusion, gluing, foaming, coatings and sealants.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ABL Resin & Glass
Unit 4, Millbuck Way, Sandbach
Cheshire CW11 3HT -UK
Tel +44 (0) 1270 529111 - Fax +44 (0) 1270 529111
msds@resin-supplies.co.uk - www.resin-supplies.co.uk

1.4. Emergency telephone number

Emergency number

Country	Organisation/Company	Address	Emergency number
UNITED KINGDOM	NPIS Edinburgh (Scottish Poisons Information Bureau) Royal Infirmary of Edinburgh	51 Little France Crescent EH16 4SA Edinburgh	0870 600 6266 (UK only)
UNITED KINGDOM	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	0870 243 2241

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral) H302
Acute Tox. 4 (Dermal) H312
Skin Corr. 1A H314
Skin Sens. 1 H317
Aquatic Chronic 2 H411

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Xn; R21/22

C; R34

R43

N; R51/53

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Multi-Purpose Epoxy Hardener

Safety Data Sheet

according to Regulation (EC) No. 453/2010

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) :

Danger

Hazardous ingredients :

Propylidynetrimethanol, propoxylated, reaction products with ammonia, 3-aminomethyl-3,5,5-trimethylcyclohexylamine

Hazard statements (CLP) :

H302+H312 - Harmful if swallowed or in contact with skin
H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (CLP) :

P102 - Keep out of reach of children
P270 - Do not eat, drink or smoke when using this product
P271 - Use only outdoors or in a well-ventilated area
P273 - Avoid release to the environment
P281 - Use personal protective equipment as required
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P304+P340 - IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing
P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
Propylidynetrimethanol, propoxylated, reaction products with ammonia	(CAS No) 39423-51-3 (EC no) 500-105-6 (REACH-no) 01- 2119556886-20	50 - 90	Xn; R21/22 Xi; R41 N; R51/53
3-aminomethyl-3,5,5-trimethylcyclohexylamine	(CAS No) 2855-13-2 (EC no) 220-666-8 (EC index no) 612-067-00-9 (REACH-no) 01-2119514687-32	10 - 50	Xn; R21/22 C; R34 R43 R52/53

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propylidynetrimethanol, propoxylated, reaction products with ammonia	(CAS No) 39423-51-3 (EC no) 500-105-6 (REACH-no) 01- 2119556886-20	50 - 90	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Eye Dam. 1, H318 Aquatic Chronic 2, H411
3-aminomethyl-3,5,5-trimethylcyclohexylamine	(CAS No) 2855-13-2 (EC no) 220-666-8 (EC index no) 612-067-00-9 (REACH-no) 01-2119514687-32	10 - 50	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314 Skin Sens. 1, H317 Aquatic Chronic 3, H412

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general :

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

First-aid measures after inhalation :

Remove to fresh air and keep at rest in a position comfortable for breathing. Assure fresh air breathing. Respiratory arrest: artificial respiration or oxygen. If unconscious place in recovery position and seek medical advice.

Multi-Purpose Epoxy Hardener

Safety Data Sheet

according to Regulation (EC) No. 453/2010

First-aid measures after skin contact	: Wash contaminated clothing before reuse. Take off contaminated clothes, wash skin with plenty of water or have a shower (during minimum 15 minutes) and if necessary take medical advice. If on skin and if skin irritation or rash occurs, seek medical advice and attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse eye with clean water for 20-30 minutes, retracting eyelids often. Consult an eye specialist if necessary.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting because of corrosive effects. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: Cough. May cause respiratory irritation. Severe inhalation hazard.
Symptoms/injuries after skin contact	: May cause moderate irritation,.
Symptoms/injuries after eye contact	: May cause moderate irritation, including burning sensation, tearing, redness or swelling. Risk of damage to eyes.
Symptoms/injuries after ingestion	: May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

For the Anti-poison Center indicate all the components including the non dangerous ones to obtain (when possible) a total of 100 %.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Foam. Dry powder. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Do not breathe fumes from fires or vapours from decomposition.
Hazardous decomposition products in case of fire	: Carbon dioxide. Carbon monoxide. Nitrogen oxides.

5.3. Advice for firefighters

Precautionary measures fire	: Evacuate personnel to a safe area. Do not enter fire area without proper protective equipment, including respiratory protection.
Firefighting instructions	: Exercise caution when fighting any chemical fire. Unauthorized persons are not admitted. Eliminate all ignition sources if safe to do so. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Wear a self contained breathing apparatus. Special protective equipment for fire-fighters.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: No naked lights. No smoking. Spill should be handled by trained cleaning personnel properly equipped with respiratory and eye protection.
------------------	---

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it. Do not allow to enter drains or water courses.
-------------------------	--

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Provide good ventilation in process area to prevent formation of vapour. Avoid all unnecessary exposure. Do not handle until all safety precautions have been read and understood. Keep containers closed.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Multi-Purpose Epoxy Hardener

Safety Data Sheet

according to Regulation (EC) No. 453/2010

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in original container. Store, if possible, in a cool, well ventilated place away from incompatible materials.
Incompatible products	: Strong acids. Oxidizing agent. Halogenated hydrocarbons.
Incompatible materials	: Heat sources.

7.3. Specific end use(s)

No additional information available


SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Personal protective equipment : Self-contained breathing apparatus. Gloves. Gas mask. Protective clothing. Protective goggles. High gas/vapour concentration: gas mask with filter type K.



Hand protection	: Nitrile-rubber protective gloves. Chemical resistant gloves (according to European standard NF EN 374 or equivalent).
Eye protection	: Chemical goggles or face shield.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Wear respiratory protection. High gas/vapour concentration: gas mask with filter type K.
Consumer exposure controls	: Avoid contact during pregnancy/while nursing.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: Amine-like.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.98 -1.0
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

Multi-Purpose Epoxy Hardener

Safety Data Sheet

according to Regulation (EC) No. 453/2010

10.2. Chemical stability

Stable under use and storage conditions as recommended in section 7.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Heat. Open flame. Sparks.

10.5. Incompatible materials

Strong acids. Oxidizing agent. metals. halogenated hydrocarbons.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Harmful if swallowed. Harmful in contact with skin.

Multi-Purpose Epoxy Hardener

ATE CLP (oral)	500.000 mg/kg bodyweight
ATE CLP (dermal)	1100.000 mg/kg bodyweight

Propylidynetrimethanol, propoxylated, reaction products with ammonia (39423-51-3)

ATE CLP (oral)	500.000 mg/kg bodyweight
ATE CLP (dermal)	1100.000 mg/kg bodyweight

3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2)

LD50 oral rat	1030 mg/kg
ATE CLP (oral)	1030.000 mg/kg bodyweight
ATE CLP (dermal)	1100.000 mg/kg bodyweight

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2)

EC50 Daphnia 1	44 mg/l
EC50 other aquatic organisms 1	37 mg/l

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

Multi-Purpose Epoxy Hardener

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No.	: 2735
UN-No.(IATA)	: 2735
UN-No. (IMDG)	: 2735
UN-No.(ADN)	: 2735

14.2. UN proper shipping name

Proper Shipping Name	: AMINES, LIQUID, CORROSIVE, N.O.S. / POLYAMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IATA)	: AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IMDG)	: AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (ADN)	: AMINES, LIQUID, CORROSIVE, N.O.S.
Transport document description	: UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. / POLYAMINES, LIQUID, CORROSIVE, N.O.S., 8, III, (E)

14.3. Transport hazard class(es)

Class (UN)	: 8
Classification code (UN)	: C7
Class (IATA)	: 8
Class (IMDG)	: 8
Class (ADN)	: 8
Classification code (ADN)	: C7
Hazard labels (UN)	: 8



Hazard labels (IATA)	: 8
----------------------	-----



Danger labels (IMDG)	: 8
----------------------	-----



Danger labels (ADN)	: 8
---------------------	-----



14.4. Packing group

Packing group (UN)	: III
Packing group (IATA)	: III
Packing group (IMDG)	: III
Packing group (ADN)	: III

14.5. Environmental hazards

Dangerous for the environment	: Yes
Marine pollutant	: Yes



Other information	: No supplementary information available.
-------------------	---

Multi-Purpose Epoxy Hardener

Safety Data Sheet

according to Regulation (EC) No. 453/2010

14.6. Special precautions for user

14.6.1. Overland transport

Hazard identification number (Kemler No.) : 80
Classification code (UN) : C7
Orange plates :



Transport category (ADR) : 3
Tunnel restriction code : E
Limited quantities (ADR) : 5L
Excepted quantities (ADR) : E1

14.6.2. Transport by sea

Special provision (IMDG) : 223, 274
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T7
Tank special provisions (IMDG) : TP1, TP28
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B
Stowage category (IMDG) : A
Stowage and segregation (IMDG) : 'Separated from' acids.
Properties and observations (IMDG) : Colourless to yellowish liquids or solutions with a pungent odour. Miscible with or soluble in water. When involved in a fire, evolve toxic gases. Corrosive to most metals, especially to copper and its alloys. Reacts violently with acids. Cause burns to skin, eyes and mucous membranes.

14.6.3. Air transport

CAO packing instructions (IATA) : 856
CAO max net quantity (IATA) : 60L
PCA packing instructions (IATA) : 852
PCA Limited quantities (IATA) : Y841
PCA limited quantity max net quantity (IATA) : 1L
PCA max net quantity (IATA) : 5L
PCA Excepted quantities (IATA) : E1
Special provision (IATA) : A3
ERG code (IATA) : 8L

14.6.4. Inland waterway transport

Special provisions (ADN) : 274
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions
Contains no REACH candidate substance

Seveso Information :

15.1.2. National regulations

No additional information available

Multi-Purpose Epoxy Hardener

Safety Data Sheet

according to Regulation (EC) No. 453/2010

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes:

Revision - See : *.

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Sens. 1	Sensitisation — Skin, category 1
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
R21/22	Harmful in contact with skin and if swallowed
R34	Causes burns
R41	Risk of serious damage to eyes
R43	May cause sensitisation by skin contact
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
C	Corrosive
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product